



- 1 What transformations have occurred to create the function $f(x) = 3x^3 - 4$ from the function $g(x) = x^3$?
- A The graph of the function has been stretched horizontally and shifted up four units.
 - B The graph of the function has been stretched vertically and shifted up four units.
 - C The graph of the function has been stretched horizontally and shifted down four units.
 - D The graph of the function has been stretched vertically and shifted down four units.
- 2 An object is launched straight upward from ground level with an initial velocity of 50.0 feet per second. The height, h (in feet above ground level), of the object t seconds after the launch is given by the function $h(t) = -16t^2 + 50t$. At **approximately** what value of t will the object have a height of 28.0 feet and be traveling downward?
- A 2.39 seconds
 - B 1.84 seconds
 - C 1.56 seconds
 - D 0.73 seconds
- 3 What is the range of the function $f(x) = -5 - 2(x + 3)^2$?
- A $[-5, \infty)$
 - B $(-\infty, 5]$
 - C $(-\infty, -5]$
 - D $(-\infty, \infty)$



- 4 A wind that is blowing from the northwest toward the southeast can be represented by a vector. The vector has an eastward component and a southward component. If the eastward component has a magnitude of 5.00 miles per hour and the southward component has a magnitude of 15.00 miles per hour, in what direction is the wind blowing?
- A The wind is blowing in the direction 71.6° east of south.
- B The wind is blowing in the direction 67.5° east of south.
- C The wind is blowing in the direction 22.5° east of south.
- D The wind is blowing in the direction 18.4° east of south.
- 5 What value of x satisfies the equation $\log_3(x - 4) = 2$?
- A 5
- B 10
- C 12
- D 13
- 6 A man is standing on level ground 50 feet away from the wall of a building. He looks up at a window on the building. The angle of elevation to the bottom of the window is 28.5° . He then looks up at the top of the building. The angle of elevation to the top of the building is 35° . What is the **approximate** distance between the bottom of the window and the top of the building?
- A 5.7 feet
- B 7.9 feet
- C 8.3 feet
- D 8.5 feet



7 Triangle WXY has the following properties:

- The angle at vertex W is 14° , and the angle at vertex X is obtuse.
- The side opposite vertex W has a length of 7.00 units.
- The side opposite vertex X has a length of 9.00 units.

What is the **approximate** length of the side opposite vertex Y ?

- A 1.73 units
- B 2.08 units
- C 3.26 units
- D 5.40 units


8 Consider these two trigonometric functions:

$$f(x) = 3 \sin(2x) + 4$$

$$g(x) = 3 \sin\left(2x - \frac{\pi}{2}\right) + 4$$

How should the graph of f be shifted to produce the graph of g ?

- A Shift the graph of f to the left $\frac{\pi}{4}$ units to produce the graph of g .
- B Shift the graph of f to the right $\frac{\pi}{4}$ units to produce the graph of g .
- C Shift the graph of f to the left $\frac{\pi}{2}$ units to produce the graph of g .
- D Shift the graph of f to the right $\frac{\pi}{2}$ units to produce the graph of g .



- 9 The maximum height, in inches, a ball reaches after its first four bounces is shown in the table below.


Bounce Number	Height (in inches)
1	42.0
2	31.5
3	23.6
4	17.7

Which type of function **best** models the data and why?

- A an exponential function, because the height of the ball is decreasing by 25% with each bounce
- B an exponential function, because the height of the ball is decreasing by 75% with each bounce
- C a logistic function, because the height of the ball is decreasing by 25% with each bounce
- D a logistic function, because the height of the ball is decreasing by 75% with each bounce
- 10 What is the inverse function of $g(x) = x^3 - 2$?
- A $g^{-1}(x) = \sqrt[3]{x + 2}$
- B $g^{-1}(x) = \sqrt[3]{x - 2}$
- C $g^{-1}(x) = \sqrt[3]{x} + 2$
- D $g^{-1}(x) = \left(\frac{x - 2}{3}\right)^3$



- 11 What are the polar coordinates of the point $(-2\sqrt{3}, 2\sqrt{3})$, where $0 \leq \theta \leq 360$?
- A $(2\sqrt{6}, 150^\circ)$ and $(-2\sqrt{6}, 210^\circ)$
- B $(2\sqrt{6}, 135^\circ)$ and $(-2\sqrt{6}, 315^\circ)$
- C $(2\sqrt{6}, 120^\circ)$ and $(-2\sqrt{6}, 240^\circ)$
- D $(2\sqrt{6}, 30^\circ)$ and $(-2\sqrt{6}, 330^\circ)$
- 12 Which equation is the rectangular form of the polar equation $r = \frac{2}{1 + \cos \theta}$?
- A $x^2 + 4y = 4$
- B $x^2 + y^2 = 4$
- C $y^2 + 4x = 4$
- D $y^2 - 4x = 4$



- 13 Two parametric equations are shown below, where $t \geq 0$.

$$x = \frac{1}{3}\sqrt{t} + 3$$

$$y = 4t^2 - 7$$

Which nonparametric equation can be used to graph the curve described by the parametric equations?

A $y = \frac{4}{9}(x + 1) - 7$

B $y = \frac{4}{3}(x + 3) - 7$

C $y = 36(x - 1)^4 - 7$

D $y = 324(x - 3)^4 - 7$

- 14 The formula for a sequence is shown below.

$$a_n = 2a_{n-1} + 3, a_1 = 3$$


Which is another formula that represents the sequence?

A $f(n) = 3(2^n - 1)$

B $f(n) = 2n^3 - 3n^2 + 8n + 3$

C $f(n) = 2(n^2 + 1)$

D $f(n) = 3n^2 + 8n - 1$



15 When $a_1 = 25,000$, what is the sum of the infinite sequence defined by the equation $a_{n+1} = 0.8a_n$?

- A 125,000
- B 140,000
- C 160,000
- D 195,000

16 What is the end behavior of the function $f(x) = \frac{100}{1 + 5(0.75)^x}$?

- A $\lim_{x \rightarrow -\infty} f(x) = 0$ and $\lim_{x \rightarrow \infty} f(x) = \infty$
- B $\lim_{x \rightarrow -\infty} f(x) = 0$ and $\lim_{x \rightarrow \infty} f(x) = 100$
- C $\lim_{x \rightarrow -\infty} f(x) = 1$ and $\lim_{x \rightarrow \infty} f(x) = \infty$
- D $\lim_{x \rightarrow -\infty} f(x) = 1$ and $\lim_{x \rightarrow \infty} f(x) = 100$



- 17 In the piecewise function below, k is a constant.

$$f(x) = \begin{cases} \frac{x^2 - k^2}{x - k}, & x \neq k \\ 4 - k, & x = k \end{cases}$$


What is the value of the limit $\lim_{x \rightarrow k^-} f(x)$?

- A $-2k$
B $2k$
C 0
D Limit does not exist.
- 18 What is the value of $\lim_{x \rightarrow 3} (x^2 - 3x + 7)$?


- A -2
B 7
C 25
D Limit does not exist.



- 19 What is the **approximate** measure of angle x in the triangle below?



- A 60.3°
 B 80.4°
 C 117.1°
 D 130.5°
- 20 The temperature, in degrees F, of the water in a large fish tank is modeled by the function $T(x) = \ln(1 + x) + 52.4$, where x is the number of pebbles in the tank. **Approximately** how many pebbles are in the tank if the water is 58.3°F?
- A 360
 B 300
 C 270
 D 200



- 21 A series is shown below.

$$1 + \frac{2}{5} + \frac{4}{25} + \frac{8}{125} + \dots$$

Which statement is true about the sum of the series?

- A The series converges to $\frac{7}{3}$.
- B The series converges to $\frac{5}{2}$.
- C The series converges to $\frac{5}{3}$.
- D The series diverges.
- 22 A circle is graphed using the parametric equations shown below.

$$x = 5\cos(t) + 3$$

$$y = 5\sin(t) - 1$$

Where is the center of the circle located?

- A $(-3, -1)$
- B $(-3, 1)$
- C $(3, -1)$
- D $(3, 1)$



- 23 The polar coordinates of a point are $\left(6, \frac{4\pi}{3}\right)$. What are the rectangular coordinates of the point?
- A $(3, -3\sqrt{3})$
- B $(3, 3\sqrt{3})$
- C $(-3, -3\sqrt{3})$
- D $(-3, 3\sqrt{3})$

RELEASED